

FJORD 44 open specification



technical details according to ISO 8666

LOA	13.45 m	44' 2"
Hull length	11.99 m	39' 4"
Beam	4.25 m	13' 11"
Draft max	1.04 m	3' 5"
Water tank	295 l	65 UK gal
Fuel tank	900 l	198 UK gal
Displacement	9.57 t	9.42 UK t
CE Category	B	B
Max. persons	12	12

Engine Standard

2x Volvo Penta IPS500	approx.	34 knots*
-----------------------	---------	-----------

Engine Option

2x Volvo Penta IPS650	approx.	40 knots*
-----------------------	---------	-----------

*All performance figures are given in good faith and are intended as an indication. These figures cannot be guaranteed as top speed in particular is affected by the cleanliness of the hull, conditions of the propellers, weight carried and air/sea temperature. Performance is related also to the optional accessories selected. FJORD reserves the right to change specifications in line with the company policy of improvement through research and development. Standard Propeller tested in Greifswald according to Volvo conditions. All measurements/figures approximate. Errors and omissions excepted. Specification and material can be changed without notice. Please check with your dealer for a full list of inclusions. Valid from 2020.03.13.



FJORD 44 open / exterior & interior layouts



C1

standard



C3

option



A1

B1

standard



A1

B2

option

FJORD 44 open / standard equipment

HULL

- / GRP hull, isophthalic gelcoat, colour: signal white (according to colour card), 1st layer vinyl ester resin. Vacuum infused.
- / Waterline, isophthalic gelcoat, colour: dark grey (according to colour card)
- / 2 hull windows (master cabin port side and starboard side), 1 deck window at the front of the master cabin and 4 openable portholes (3 in master cabin, 1 in toilette)

DECK & COCKPIT

- / Galley, colour: signal white (according to colour card). With lockers and drawers, working top in corian, folding mixing tap and fridge
- / Dashboard, colour: signal white (according to colour card), with foot support, handrail, glovebox, cupholder, horn, switch panel, engine room fire extinguisher system, 2 emergency fuel cut off (pantry).
- / GRP deck, isophthalic gelcoat, colour: signal white (according to colour card), 1st layer vinyl ester resin. Vacuum infused. Deck covered with teak. Stainless steel tie bar for fender. Large diameter stainless steel handrails, 2 gates at stern. Fold out stairs on port side and starboard bulwark. Sunpad at bow with cupholder. Manual engine hatch.
- / FJORD steering wheel with tilting system
- / Full glass windscreen
- / Shower unit with hot and cold water
- / Bathing ladder, telescopic, integrated in bathing platform
- / 6 aluminium mooring cleats, stainless steel handrails
- / Pilot and copilot seats with hinged bolster
- / T-top and wiper cover painted, colour: jet black (according to colour card)

PROPULSION

- / Engine room, sound insulated, fans, fire extinguisher system, automatic and manual, Batteries-Engines: 2 x 90 Ah / 12 V, Battery charger 50 A (for engine and service batteries)
- / 2 Volvo Penta IPS 500 (D6 280 kW/380 hp) propeller T7, joystick, 2 Volvo 2,5" engine display
- / Volvo Penta BTS (boat trim system), manual
- / Fuel tank, capacity: 900 litres, fuel filter

ELECTRICAL EQUIPMENT

- / 12 V and 230 V electric system with 230 V shore power connection. Sockets in master cabin (1), toilette (1) and 12V on dashboard (1)
- / Batteries-Service: 2 x 160 Ah AGM
- / Country Version: EU / AUS
- / Wireless charging in cabin for mobile phone
- / Electric toilet
- / Spotlights and indirect lights in master cabin. Light in toilette, under T-top, in utility room and in technical room.
- / Holding tank, capacity: 62 litres
- / Water tank, capacity: 295 litres
- / Bilge pumps: automatic electric (2) and manual emergency bilge pump in cockpit (1)

NAVIGATION & INSTRUMENTS

- / Compass
- / Fjord safety cloud with 24 months subscription and device installed on board

LAYOUT & INTERIOR

- / A1: Master cabin with double berth, one wardrobe and sideboard, one drawer underneath the bed and vanity table with seat. 3 skylights 2 of them openable. Fully equipped head with separate shower stall with handheld shower and bracket, and

comfort seat with wood cover.

- / B1: Utility room
- / C1: Storage area with hydraulic opening, sunpad, 2 cockpit tables with fixed leg and cover, cockpit benches with reversible back rest

UPHOLSTERY & WOOD

- / Upholstery scheme: porto bello, colour: cream (according to colour card)
- / Exterior seating material, upholstery scheme: matrix, colour: gull wing (according to colour card)
- / Upholstery helmsman seats: synthetic leather, colour: dark grey (according to colour card)
- / Mattresses in all cabins and seat in master cabin, covered with upholstery scheme: porto bello, colour cream (according to colour card)
- / Interior furniture in high quality marine plywood, colour: warm mahogany (according to colour card)
- / Flooring in all cabins in: pale acacia (according to colour card)

TRANSPORT

- / Identified locations for hand held fire extinguishers - (hand held fire extinguishers are not supplied), FJORD Owner's Manual in FJORD document bag